



# LANDSCAPE



## LDA26

Size	PR	Load Index	Speed Symbols	Mold tread Depth (mm)	Standard Rim	Max Load and Inflated Pressure				Inflation Section Width (mm)	Inflation Overall Diameter (mm)
						Dual		Single			
						kg	kpa	kg	kpa		
11R22.5	16	146/143	M	14.5	8.25	2725	830	3000	830	279	1054
11R22.5	18	149/146	L	14.5	8.25	3000	930	3250	930	279	1054
11R24.5	16	149/146	M	14.5	8.25	3000	830	3250	830	279	1104
11R24.5	18	152/149	L	14.5	8.25	3250	930	3550	930	279	1104
295/75R22.5	16	146/143	M	15.0	9.00	2725	830	3000	830	298	1014
295/75R22.5	18	149/146	L	15.0	9.00	3000	930	3250	930	298	1014





## LANDSCAPE



### LDD27

Size	PR	Load Index	Speed Symbols	Mold tread Depth (mm)	Standard Rim	Max Load and Inflated Pressure				Inflation Section Width (mm)	Inflation Overall Diameter (mm)
						Dual		Single			
						kg	kpa	kg	kpa		
11R22.5	16	146/143	M	20.5	8.25	2725	830	3000	830	279	1065
11R22.5	18	149/146	L	20.5	8.25	3000	930	3250	930	279	1065
11R24.5	16	149/146	M	20.5	8.25	3000	830	3250	830	279	1116
11R24.5	18	152/149	L	20.5	8.25	3250	930	3550	930	279	1116
295/75R22.5	16	146/143	M	22.0	9.00	2725	830	3000	830	298	1020
295/75R22.5	18	149/146	L	22.0	9.00	3000	930	3250	930	298	1020





## LANDSCAPE



### LDM28

Size	PR	Load Index	Speed Symbols	Mold tread Depth (mm)	Standard Rim	Max Load and Inflated Pressure				Inflation Section Width (mm)	Inflation Overall Diameter (mm)
						Dual		Single			
						kg	kpa	kg	kpa		
11R22.5	16	146/143	M	15.5	8.25	2725	830	3000	830	279	1054
11R22.5	18	149/146	L	15.5	8.25	3000	930	3250	930	279	1054
11R24.5	16	149/146	M	15.5	8.25	3000	830	3250	830	279	1104
11R24.5	18	152/149	L	15.5	8.25	3250	930	3550	930	279	1104





## LANDSCAPE



### LDA36

Size	PR	Load Index	Speed Symbols	Mold tread Depth (mm)	Standard Rim	Max Load and Inflated Pressure				Inflation Section Width (mm)	Inflation Overall Diameter (mm)
						Dual		Single			
						kg	kpa	kg	kpa		
295/80R22.5	18	152/149	M	16.0	9.00	3250	900	3550	830	298	1044
295/75R22.5	16	146/143	M	15.0	9.00	2725	830	3000	830	298	1014
295/75R22.5	18	149/146	L	15.0	9.00	3000	930	3250	930	298	1014

